




COMPACT C 32 WP

TWO-WAY PROFESSIONAL SPEAKER



Description

COMPACT C 32 WP is a multipurpose two-way point source speaker, suitable for a wide range of near and mid-distance applications. The combination of a 3" neodymium compression driver, a 12" neodymium woofer, and a constant directivity rotatable waveguide produces coherent 100° x 50° coverage for the listening area with high SPL, and distortion-free sound. The sleek and lightweight wood cabinet uses a special polyurea coating and a robust powder-coated grille with protective foam. Optional mounting accessories allow for wall or ceiling installation. Suitable for outdoor applications. EN 54-24:2008 technical data available in the user manual.

Features

- › 600 W power handling (RMS)
- › 137 dB max SPL
- › 54 ÷ 20000 Hz frequency range
- › 100° x 50° constant directivity coverage angle
- › 1x12" neo LF and 1x3.0" v.c. neo HF
- › Rotatable horn
- › High quality birch plywood cabinet
- › Steel grille with water-repellent protection
- › Installation points available on top, bottom, rear and side panels
- › 2 x eco|mate IP 67 connectors

Part Number

13000911 COMPACT C 32 WP 8ohm


Black - RAL 9005 EAN 8024530022822



COMPACT C 32 WP

TWO-WAY PROFESSIONAL SPEAKER

Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications

Frequency Response (-10dB)	54 Hz - 20000 Hz
Max SPL @ 1m	137 dB
Horizontal coverage angle	100°
Vertical coverage angle	50°
Directivity index Q	10
System Sensitivity	97 dB

Power section

Amplification	Full Range
Nominal Impedance	8 ohm
Power Handling	600 W RMS
Peak Power Handling	2400 W PEAK
Protections	Dynamic Active Mosfet
Crossover Frequencies	1100 Hz
Recommended Amplifiers	XPS SERIES, KPS SERIES

Transducers

Compression Driver	1 x 1.4" neo, 3.0" v.c
Woofer	1 x 12" neo, 3.5" v.c

Input/Output section

Input connectors	Amphenol eco/mat IP 67
Output connectors	Amphenol eco/mat IP 67

Standard compliance

IP protection grade	IP 55
Safety agency	CE compliant
EN54-24 certified	Yes
CPR number	0068-CPR-234/2025



COMPACT C 32 WP

TWO-WAY PROFESSIONAL SPEAKER

Physical specifications	Cabinet/Case Material		Birch plywood	
	Hardware		4 x M8, 14 x M10	
	Grille		Steel grille with water-repellent protection	
	Color		Black - RAL 9005	
Size / Weight	Height		620 mm / 24.41 inches	
	Width		361.8 mm / 14.24 inches	
	Depth		404 mm / 15.91 inches	
	Weight		23.5 kg / 51.81 lbs	
Rigging / Mounting	ACCESSORIES			
	FLYING BRACKETS			
	13360742	FLB60742	Black	EAN 8024530024888
	HORIZONTAL BRACKETS			
	13360703	HBR60703	Black - RAL 9005	EAN 8024530023843
	VERTICAL BRACKETS			
	13360533	V-BR 002	Black - RAL 9005	EAN 8024530021320
	WALL MOUNT BRACKETS			
	13360539	WM-BR 001	Black - RAL 9005	EAN 8024530021344
	Upgrade Kits	HORN KIT		
13360505		HN-KIT COMPACT C 32 C 45	Black	EAN 8024530020019